

# MIDLAND ELECTRIC COMPANY

426-430 Huron Road - Cleveland, Ohio CHerry 1080

# EXTERIOR LIGHTING Suggestions





### No. 31-B

Extension
Length over all
Lantern length9½"
Lantern width534"
Made of copper and bronze.
Finishes: Flemish copper or
Flemish brass.
Amber cathedral glass.
Standard PackageSix



### No. 35-B

Extension
Length over all 151/2"
Lantern length
Lantern width
Made of copper and bronze.
Finishes: Flemish copper or
Flemish brass.
Amber cathedral glass.
Standard PackageOne



### No. 51-B

Extension
Length over all
Lantern length
Lantern width 434"
Made of copper and bronze.
Finishes: Flemish copper or
Flemish brass.
Amber cathedral glass.
Standard PackageSix


### No. 51-L

Ceiling	type	to	match	No.	51-B
Length	over	all			11′′
Standa	rd Pa	ck	age		Six



### No. 31-L

Length over all
Lantern length
Lantern width534"
Made of copper and bronze.
Finishes: Flemish copper or
Flemish brass.
Amber cathedral glass.
Standard Package Six



## No. 35-C

Length over all
Lantern length
Lantern width
Made of copper and bronze.
Finishes: Flemish copper or
Flemish brass.
Amber cathedral glass.
Standard Package One

### No. 35-L

Ceiling				
Length				
Standa	rd Pack	age .	 	.One



### No. 40-B

Extension
Length over all
Lantern length9"
Lantern width
Standard PackageOne

### No. 41-B

Extension	91/2"
Length over all	16"
Lantern length	111/9"
Lantern width	8"
Standard Package	One

### No. 42-B

Extension	 11"
Length over all	 171/2"
Lantern length	 131/4"
Lantern width	 One

Made of copper. Finishes: Flemish copper or Flemish brass. Clear crystal glass.



NO. 43-D
Extension
Length over all
Lantern length 8 1/4"
Lantern width
Made of copper.
Finishes: Flemish copper or
Flemish brass.
Clear crystal glass.
Standard PackageSix



### No. 41-C

Length over all341/2"
Lantern length
Lantern width8"
Standard Package One

### No. 42-C

Length over all
Lantern length 13 1/4"
Lantern width
Standard Package One

Made of copper. Finishes: Flemish copper or Flemish brass. Clear crystal glass.



### No. 40-L

1101 10 2
Length over all 121/2"
Lantern length 9"
Lantern width6½"
Made of copper.
Finishes: Flemish copper or
Flemish brass.
Clear crystal glass.
Standard Package Six



### No. 43-L

Length over all						
Lantern length 8 1/4"						
Lantern width						
Made of copper.						
Finishes: Flemish copper or						
Flemish brass.						
Clear crystal glass.						
Standard Package Six						



No. 37					
Extension5"					
Length over all					
Lantern length 10½"					
Lantern width4½"					
Made of copper.					
Finishes: Flemish copper or					
Flemish brass.					
Clear crystal glass.					
Standard Package Six					









Extension 8"
Length over all 11½"
Arm spread 17"
Lantern length 934"
Lantern width 6½"
Standard Package Six

No. 42-S

Extension 11"
Length over all 15½"
Arm spread 20"
Arm spread 20"
Standard Package One
Made of copper with cast aluminum arms.
Finishes: Flemish copper or Flemish brass.
Clear crystal glass.



### No. 45-B

Extension
Length over all
Lantern length 9"
Lantern width
Standard Package One

### No. 46-B

Extension				91/2"
Length over all				16"
Lantern length.			'	111/2"
Lantern width				8′′
Standard Package	٠			.One

### No. 47-B

Extension	
Length over all	
Lantern length	
Lantern width 91/4"	
Standard Package One	

Made of non-rusting metal. Finish: Black, flemish brass trimmed. Clear crystal glass.



### No. 48-B

Extension						
Length over all						
Lantern length						
Lantern width						
Made of non-rusting metal.						
Finish: Black, flemish brass						
trimmed.						
Clear crystal glass.						
Standard Package Six						



### No. 46-C

Length over all341/2"
Lantern length
Lantern width8"
Standard Package One

### No. 47-C

Length over Lantern leng	all		 361/2"
Lantern leng	gth	 	 13 1/4"
Lantern wid	th	 	 .91/4"
Standard Pa	ckage	 	 One

Made of non-rusting metal. Finish: Black, flemish brass trimmed. Clear crystal glass.



### No. 45-I

110. 40-11					
Length over all					
Lantern length					
Lantern width					
Made of non-rusting metal.					
Finish: Black, flemish brass					
trimmed.					
Clear crystal glass.					
Standard Package Six					



### No. 48-L

Length over all	,
Lantern length	
Lantern width61/4	
Made of non-rusting metal.	
Finish: Black, flemish brass	
trimmed.	
Clear crystal glass.	
Standard Package Si	,







No. 6-B
Extension
length over all 19"
Lantern length
Lantern width71/4"
Made of non-rusting metal.
Finish: Black.
Clear crystal glass.
Standard Package One
No. 6-C
Chain hanger to match No. 6-B
Length over all





No. 5-B
Extension
Length over all
Lantern length
Lantern width
Made of non-rusting metal.
Finish: Black.
Clear crystal glass.
Standard PackageOne



### No. 12-B

1101 12 2
Extension
Length over all
Lantern length 8½"
Lantern width
Made of aluminum.
Finish: Swedish.
Amber cathedral glass.
Standard Package Six



### No. 1108-B

Extension
Length over all
Lantern length 20"
Lantern width
Made of copper.
Finish: Flemish copper.
Amber cathedral glass.
Standard Package One

### No. 1108-C

Chain hanger to match	
No. 1108-B	
Length over all	,
Standard Package One	e



### No. 4-B

Extension7"
Length over all 131/2"
Lantern length 8½'' Lantern width
Made of aluminum.
Finish: Swedish.
Standard Package Six



### No. 4-C

110. 1-0	
Length over all	33"
Lantern length	31/2"
Lantern width	5′′
Made of aluminum.	
Finish: Swedish.	
Caraland Dankaga	Sir



### No. 12-C

Length over all331/2'
Lantern length 81/2'
Lantern width
Made of aluminum.
Finish: Swedish.
Amber cathedral glass.
Standard Package Six



### No. 21-E

NO. 21-D
Extension
Length over all
Lantern length 9½'
Lantern width
Made of copper, with cast
aluminum arm.
Finish: Statuary bronze.
pewter trimmed.
Amber cathedral glass.
Standard Package Six



### No. 26

Extension
Length over all
Arm spread
Lantern length
Lantern width634"
Made of copper, with cast
aluminum arms.
Finish: Flemish copper,
pewter trimmed.
Amber cathedral glass.
Standard Package Six



### No. 21-

110. 21-1.
Length over all 123/4'
Lantern length 91/2'
Lantern width
Made of copper, with cast
aluminum loop.
Finish: Statuary bronze,
pewter trimmed.
Amber cathedral glass.
Standard Destruction C.



### No. 2

1101 21
Extension
Extension
Lantern length 9½'
Lantern width 634'
Made of copper, with cast
aluminum arm.
Finish: Statuary bronze,
pewter trimmed.
Crystal moss glass.
Standard Package Six



### No. 14-B

Extension9
Length over all
Lantern length 91/2"
Lantern width6"
Made of copper, with cast
aluminum arm.
Finish: Flemish copper.
pewter trimmed.
Crystal moss glass.
Standard Package One

### No. 14-L

Ceiling					
Length	over	all		1	31/2'
Standa	rd Pa	cka	age		Si



### No. 44-B

Extension5"
Length over all
Lantern length
Lantern width
Made of brass.
Finish: Polished brass.

Made of copper. Finish: Flemish copper. Clear crystal glass. Standard Package......Six



### No. 9-B

Extension
Length over all
Lantern length 6½'
Lantern width6'
Made of copper, with cast
aluminum arm.
Finish: Flemish copper,
pewter trimmed.
Flemish crystal glass.
Standard PackageSiz
No. 9-L
Ceiling type to match No. 9-B
Cenning type to materi 140. 2-15
Length over all 10'
Standard Package Sin
Standard Luckage

No. 10-B Upright to match No. 9-B

Extension	.61/2"
Length over all	12"
Lantern length	7''
Lantern width	
Standard Package	Six



### No. 44-L

Length over all 1014"
Lantern length
Lantern width4½"
Made of brass.
Finish: Polished brass.

Made of copper. Finish: Flemish copper. Clear crystal glass. Standard Package.....Six



No. 25-B
Extension
ength over all
antern length
antern width
Made of copper, with cast
aluminum arm.
Finish: Flemish copper,
pewter trimmed.
Amber cathedral or crystal
moss glass.
standard Package Six



No. 25-L

Length over all!1'
Lantern length 8'
Lantern width5'
Made of copper, with cast
aluminum loop.
Finish: Flemish copper,
pewter trimmed.
Amber cathedral or crystal
moss glass.
Standard PackageSi



### No. 34-B

Extension			
Length over all			.111/2"
Lantern length		,	814"
Lantern width			61/2"
Made of bras	38.		
Finish: Polished	Ь	ra	.88.

Made of copper.
Finish: Flemish copper.
Flemish crystal glass.
Standard Package......Six



No. 50-L Ceiling type to match No. 50-C



110. IO-D	
ExtensionLength over allLantern length	61/2"
Length over all	101/2"
Lantern length	8′′
Lantern width	5"
Made of non-rusting	metal.
Finishes: Pewter or	black.
Clear crystal glas	88.

Made of copper, with cast aluminum arm. Finish: Flemish copper, pewter trimmed. Amber cathedral glass. Standard Package......Six

No. 18-L Ceiling type to match No. 18-B



### No 50-B

Extension
Length over all
Lantern length 8 3/4"
Lantern width6"
Made of copper.
Finishes: Flemish copper or
Flemish brass.
Clear crystal glass.
Standard Package Six



### No. 34-C

Length over all
Lantern length 8 1/4"
Lantern width
Made of brass.
Finish: Polished brass.

Made of copper.
Finish: Flemish copper.
Flemish crystal glass.
Standard Package . . . . . Six

No. 34-L Ceiling type to match No. 34-C 



### No. 22-B

Extension
Length over all
Lantern length 8½"
Lantern width
Made of non-rusting metal.
Finish: Pewter.
Clear crystal glass.

Made of copper, with cast aluminum arm. Finish: Flemish copper, pewter trimmed. Clear crystal glass. Standard Package.....Six



### No. 24

Le	ngth									٠					i	8
W	idth.	N	 4 -	1	ċ		ċ	٠	•	٠	٠	٠	٠			6
	Fini												n	e	r.	
	An															

Made of non-rusting metal.
Finish: Black.
Crystal etched glass.
Standard Package.....Six



Len	gtn.		٠			٠	۰	*		٠	۰	٠	٠	٠	4	ı	۰	Č
Wid	lth.		٠.				٠											ŧ
		Ma																
	Finis																	
	Am	bei	r	ca	t	he	e	d	rε	ıl	5	χl	a	s	8			
											•							



No. 10/8-B
Extension
Length over all
Lantern length8"
Lantern width
Made of non-rusting metal.
Finish: Black.
Crystal moss glass.
Standard PackageSix


No. 1078-L 



### No. 2013-B

Extension
Length over all
Lantern length 5 3 4" Lantern width 5"
Lantern width5"
Lantern and canopy, made
of copper, arm aluminum.
Finish: English bronze,
pewter trimmed.
Amber cathedral glass.
Standard Package Sin

110. 2010-13	
Ceiling type to match	
No. 2013-B	
Length over all	
Standard Package	Six



No. 22-L

Made of copper, with cast aluminum loop. Finish: Flemish copper, pewter trimmed. Clear crystal glass. Standard Package......S

# ODD ROOM Lighting Suggestions



No. 36
Length over all
Finishes: Polished brass with ivory.
Polished brass with pewter.
Polished brass with Chinese red. Flemish crystal glass.
Standard PackageSix





Length. 23"
Width. 13½"
Equipped with two sockets.
Finish: Polished aluminum.
Alabaster glass.
Standard Package. Six

No. 75 



No. 66

No. 66

Length. 24"
Width. 1234"
Equipped with two sockets.
Finishes of fixture: Old
ivory, gold trimmed, with beige,
blue, green or rose glass.
Polished aluminum with
etched crystal glass.
Standard Package. Six



No. 84

Length. 5"
Width. 13½"
Equipped with two sockets.
Finish: Polished aluminum.
Alabaster glass.
Standard Package. Six



No. 67

No. 67

Length. 9"
Width. 12 34"
Equipped with two sockets.
Finishes of fixture: Old
ivory, gold trimmed, with beige,
blue, green or rose glass.
Polished aluminum with
etched crystal glass.
Standard Package. Six







No. 82
Length 934"
Width 11"
Finish of fixture: Polished aluminum.
Alabaster glass.
Standard Package Six

















WANTED SERVICE



No. 73
Length. 10"
Width. 10½"
Finish of fixture: Ivory or white, gold trimmed.
Colors of glass: Cream, rose or white.
Standard Package Six



No. 69

Length 10½″
Width 6″
Finishes of fixture: Ivory, silver trimmed or polished aluminum.
Colors of glass: Beige, etched crystal, green or yellow.
Standard Package Six



No. 57

Length 934"
Width 912"
Finish of fixture: Ivory, silver trimmed.
Colors of glass: Beige, blue, ivory, green, rose or etched crystal with flower decoration.
Standard Package Twelve









# FOR THE DEN OR RECREATION ROOM



### No. 2012 D

110. 2010-2
Extension
Length over all
Lantern length
Lantern width5"
Lantern and canopy, made of
brass, arm aluminum.
Finish: Antique brass,
pewter trimmed.
Amber cathedral glass.
Standard Package Six


### No. 2013-L

Ceiling type to match No. 2013-B.	
Length over all	8' Si



### No. 202





# Ivanhoe Lighting Equipment

Ivanhoe Standard Fixtures for Commercial Lighting



Ivanhoe plain suspension fixture, Dull or Polished Bronze finish 12 1/4" fitter No. M 828

### Ivanhoe Standard Fixtures for Commercial Lighting

Ivanhoe suspension and ceiling fixtures for commercial lighting are made of separate parts of highest quality and are assembled by workmen of experience and skill. The specifications under which they are manufactured are approved by underwriters and by MAZDA lamp engineers. These general specifications are given here.

1. All Standard Line suspension fixtures are supplied complete with socket, hickey and wire, but wire and socket are not attached.

If no socket or wire is required, the order should specify are. Z-hickey will be included. Wired fixtures will be supplied on order only.

- 2. All suspension fixtures in the Standard Line, with the exception of Number M-828, and the special suspension fixtures are supplied with adjustable suspension Z-hickey and screw ring canopy.
  - 3. Medium Porcelain Socket D-26 is used in suspension

fixtures equipped with medium socket. Mogul Porcelain Socket D-27 is used in suspension fixtures equipped with Mogul socket.

4. Ceiling fixtures have special pig-tail receptacles and for this reason are not supplied without sockets. They are equipped with cross bars.

5. All fitters in the Standard Line are supplied with three set screws.

6. All canopies have eyelet near the bottom that canopy switches may be used. The switch may be attached to the Z-hickey. All ceiling fixtures with exception of M 829 are regularly supplied with knockout for canopy switch.

7. Canopies and holders are made of brass. All canopies and holders have rolled edges with the exception of number

M-828 and M-829.

8. Fixtures are packed in an individual carton.

9. Finishes other than those listed will be quoted upon request.

### SCHEDULE F

F. O. B. MERIDEN, CONN.

### Ivanhoe Standard Fixtures for Commercial Lighting

Chain Suspension Fixtures - Standard Line

Ivanhoe Catalog Number	Diam. Fitter Inches	Canopy Inches	List Price Each  Dull Polished Bronze Bronze		Finish	Type Socket	Length to Bottom of Holder	Std. Pkg. Qty.	Lbs. Ship. Wt.		
M 586 M 587 MO 587 M 633 MO 633 MO 643 MO 750 M 756 M 828	4 6 6 6 8 8 4	5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	\$2.85 3.20 3.75 4.10 4.70 5.90 8.00 3.75 1.40	\$3.05 3.55 4.10 4.45 5.05 6.35 8.50 4.00 1.55	Dull or Polished Bronze	Medium Medium Mogul * Medium Mogul Mogul Medium Medium	24" 24" 24" 24" 24" 24" 24" 24"	12 12 12 12 12 12 12 12 12	27 30 33 41 44 54 64 34 25		
Plain Ceiling Fixtures — Standard Line											
M 809 M 810 MO 810 M 829	4 6 6 2 1/4	6 6 6 5 <sup>1</sup> / <sub>8</sub>	1.30 1.55 2.25 .65	1.50 1.80 2.50 .70	Dull or Polished Bronze Dull or Polished Bronze Dull or Polished Bronze Dull or Polished Bronze	Medium Medium Mogul Medium	4'' 4½'' 4½'' 2¾''	12 12 12 12	22 25 38 21		

Suspension fixtures supplied standard not wired. Wire and socket included in carton. Wired fixtures will be supplied on order only. Add 20 cents

list for wiring.

Ceiling fixtures are regularly supplied with pigtail receptacles attached.

For additional lengths of chain and wire, add 19 cents list per foot for Dull Bronze finish; 22 cents list per foot for Polished Bronze finish; chain only not attached, 8 cents list per foot for Dull Bronze finish; 11 cents list per foot for Polished Bronze finish.

Add 75c additional list, for Pull Chain Sockets; Pull Chain Sockets must be specified on Order.

Add \$1.40 Additional list, for Levolier or GE canopy switch.

# PRICE LIST

EFFECTIVE JUNE 1st, 1938

For less than standard packages add 5%

4-C       5.55       35-L       8.25       60       61         5-B       9.30       36       4.50       61       61         5-L       7.50       37       7.05       64       64         5-L       7.05       38-C       5.55       64       64         6-B       12.00       38-L       5.40       66       66         6-C       9.75       39       5.55       67       68       Aluminum or ivory       68       Colonial Brass       69       68       Colonial Brass       69       68       Colonial Brass       69       69       69       69       68       Colonial Brass       69	No.	Each	No.	Each	No.	Each
4-B	2-S.	\$ 7.95	35-B	\$10.05	57	\$ 2.40
4-C       5.55       35-L       8.25       60       61         5-B       9.30       36       4.50       61       61         5-L       7.50       37       7.05       64       64         5-L       7.05       38-C       5.55       64       64         6-B       12.00       38-L       5.40       66       66         6-C       9.75       39       5.55       67       68       Aluminum or ivory       68       Colonial Brass       69       68       Colonial Brass       69       68       Colonial Brass       69			35-C	9.30		
5-B         9.30         36         4.50         5-C         7.50         37         7.05         64         64         66         64         66         68         12.00         38-L         5.55         64         66         67         68         Aluminum or ivory         68         Colonial Brass         69         71         71         71         72         71         72         71         72         71         72         71         72         71         72         71 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
5-C         7.50         37         7.05         64           5-L         7.05         38-C         5.55         64           6-B         12.00         38-L         5.40         66           6-C         9.75         39         5.55         67           9-B         4.50         40-B         7.20         68 Aluminum or ivory           9-L         4.50         40-L         7.05         68 Aluminum or ivory           6-C         9.75         40-L         7.05         68 Colonial Brass           10-B         4.65         41-B         10.05         68 Colonial Brass           12-B         7.20         41-C         9.75         69           12-C         6.30         42-B         13.50         71           14-B         7.35         42-C         13.20         72           14-L         6.00         42-S         17.25         73           18-B Copper         4.35         43-B         6.30         74           18-B Non-rusting         3.45         44-B         4.80         75           18-B Non-rusting         3.45         44-L         4.50         76           21-B Copper <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
5-L         7.05         38-C         5.55         64           6-B         12.00         38-L         5.40         66           6-C         9.75         39         5.55         67           9-B         4.50         40-B         7.20         68 Aluminum or ivory           9-L         4.50         40-L         7.05         68 Colonial Brass           10-B         4.65         41-B         10.05         68 Colonial Brass           12-B         7.20         41-C         9.75         69           12-C         6.30         42-B         13.50         71           14-B         7.35         42-C         13.20         72           14-L         6.00         42-S         17.25         73           18-B Copper         4.35         43-B         6.30         74           18-B Non-rusting         3.45         44-B         4.80         75           18-B Non-rusting         3.45         44-L         4.50         76           21-B         6.75         45-B         6.90         77           21-L         6.45         45-L         6.75         78           22-L Copper         4.65						
6-C 9.75   39   5.55   67   9-B   4.50   40-B   7.20   9-L   4.50   40-L   7.05   10-B   4.65   41-B   10.05   12-B   7.20   41-C   9.75   12-C   6.30   42-B   13.50   14-B   7.35   42-C   13.20   14-L   6.00   42-S   17.25   18-B Copper   4.35   43-L   6.15   18-B Non-rusting   3.45   44-L   4.50   18-L Copper   4.35   44-L   4.50   12-L   6.45   45-L   6.75   21-L   6.45   45-L   6.75   22-B Copper   4.65   46-B   9.60   22-L Copper   4.65   46-C   9.30   22-B Non-rusting   3.75   47-C   13.20   22-L Non-rusting   3.75   47-C   13.20   24 Non-rusting   2.10   48-L   5.85   25-L   4.35   49 Copper   5.40   24 Non-rusting   2.10   48-L   5.85   27   7.50   50-C Flemish Brass   5.85   31-B   7.80   50-C Copper   5.55   1108-B   22   33   5.70   50-C Copper   5.55   1108-B   22   33   5.70   50-C Copper   5.55   1108-B   22   31-D   7.05   68 Aluminum or ivory   68 Colonial Brass   68 Colonial Brass   69   68 Colonial Brass   69   69   71   68 Aluminum or ivory   68 Colonial Brass   69   68 Colonial Brass   69   69   71   71   71   72   72   71   71   72   72   73   72   73   74   74   74   74   74   74   75   73   74   74   74   75   75   78   74   75   75   75   75   75   75   75   75					64	5.25
9-B	6-B	12.00			66	6.75
9-B	6-C	9.75	39	5.55	67	5.55
9-L	9-B	4.50	40-B	7.20		
10-B     4.65     41-B     10.05     69       12-B     7.20     41-C     9.75     69       12-C     6.30     42-B     13.50     71       14-B     7.35     42-C     13.20     72       14-L     6.00     42-S     17.25     73       18-B Copper     4.35     43-B     6.30     74       18-L Copper     4.35     43-L     6.15     75       18-B Non-rusting     3.45     44-B     4.80     75       18-L Non-rusting     3.45     44-L     4.50     76       21-B     6.75     45-B     6.90     77       21-L     6.45     45-L     6.75     78       22-B Copper     4.65     46-C     9.30     80       22-L Copper     4.65     46-C     9.30     80       22-L Non-rusting     3.75     47-C     13.50     81       24 Copper     2.70     48-B     6.00     83       24 Non-rusting     2.10     48-L     5.85     84       25-L     4.35     49 Copper     5.40     202       25-L     4.35     49 Non-rusting     4.50     202       27     7.50     50-B Flemish Brass     5.85 <td>9-L</td> <td> 4.50</td> <td>40-L</td> <td>7.05</td> <td></td> <td></td>	9-L	4.50	40-L	7.05		
12-C       6.30       42-B       13.50       71         14-B       7.35       42-C       13.20       72         14-L       6.00       42-S       17.25       73         18-B Copper       4.35       43-B       6.30       74         18-L Copper       4.35       43-L       6.15       75         18-B Non-rusting       3.45       44-B       4.80       75         18-L Non-rusting       3.45       44-L       4.50       76         21-B       6.75       45-B       6.90       77         21-L       6.45       45-L       6.75       78         22-B Copper       4.65       46-B       9.60       79         22-L Copper       4.65       46-C       9.30       80         22-L Non-rusting       4.05       47-B       13.50       81         22-L Non-rusting       3.75       47-C       13.20       82         24 Non-rusting       2.10       48-B       6.00       83         24 Non-rusting       2.10       48-L       5.85       84         25-B       4.35       49 Non-rusting       4.50       202         25-L       4.35	10-B	4.65				
14-B     7.35     42-C     13.20     72       14-L     6.00     42-S     17.25     73       18-B Copper     4.35     43-B     6.30     74       18-L Copper     4.35     43-L     6.15     75       18-B Non-rusting     3.45     44-B     4.80     76       18-L Non-rusting     3.45     44-L     4.50     76       21-B     6.75     45-B     6.90     77       21-L     6.45     45-L     6.75     78       22-B Copper     4.65     46-B     9.60     79       22-L Copper     4.65     46-C     9.30     80       22-B Non-rusting     4.05     47-B     13.50     81       22-L Non-rusting     3.75     47-C     13.20     82       24 Copper     2.70     48-B     6.00     83       24 Non-rusting     2.10     48-L     5.85     84       25-B     4.35     49 Copper     5.40     202       25-L     4.35     49 Non-rusting     4.50     202       26     7.95     50-B Flemish Brass     5.85     1078-B       31-B     7.80     50-L Flemish Brass     5.40     1078-L       31-L     6.30	12-B	7.20	41-C	9.75		
14-L     6.00     42-S     17.25     73       18-B Copper     4.35     43-B     6.30     74       18-L Copper     4.35     43-L     6.15     75       18-B Non-rusting     3.45     44-B     4.80     76       18-L Non-rusting     3.45     44-L     4.50     76       21-B     6.75     45-B     6.90     77       21-L     6.45     45-L     6.75     78       22-B Copper     4.65     46-B     9.60     79       22-L Copper     4.65     46-C     9.30     80       22-B Non-rusting     4.05     47-B     13.50     81       22-L Non-rusting     3.75     47-C     13.20     82       24 Copper     2.70     48-B     6.00     83       24 Non-rusting     2.10     48-L     5.85     84       25-B     4.35     49 Copper     5.40     202       25-L     4.35     49 Non-rusting     4.50     202       25-L     4.35     49 Non-rusting     4.50     202       26     7.95     50-B Flemish Brass     5.85     1078-B       31-B     7.80     50-L Flemish Brass     5.40     1078-L       31-L     6	12-C	6.30	42-B	13.50	71	2.40
14-L     6.00     42-S     17.25     73       18-B Copper     4.35     43-B     6.30     74       18-L Copper     4.35     43-L     6.15     75       18-B Non-rusting     3.45     44-B     4.80     76       18-L Non-rusting     3.45     44-L     4.50     76       21-B     6.75     45-B     6.90     77       21-L     6.45     45-L     6.75     78       22-B Copper     4.65     46-B     9.60     79       22-L Copper     4.65     46-C     9.30     80       22-B Non-rusting     4.05     47-B     13.50     81       22-L Non-rusting     3.75     47-C     13.20     82       24 Copper     2.70     48-B     6.00     83       24 Non-rusting     2.10     48-L     5.85     84       25-B     4.35     49 Copper     5.40     202       25-L     4.35     49 Non-rusting     4.50     202       25-L     4.35     49 Non-rusting     4.50     202       26     7.95     50-B Flemish Brass     5.85     1078-B       31-B     7.80     50-L Flemish Brass     5.40     1078-L       31-L     6	14-B	7.35			72	3.30
18-B Copper       4.35       43-B       6.30       74         18-L Copper       4.35       43-L       6.15       75         18-B Non-rusting       3.45       44-B       4.80       76         18-L Non-rusting       3.45       44-L       4.50       76         21-B       6.75       45-B       6.90       77         21-L       6.45       45-L       6.75       78         22-B Copper       4.65       46-B       9.60       79         22-L Copper       4.65       46-C       9.30       80         22-B Non-rusting       4.05       47-B       13.50       81         22-L Non-rusting       3.75       47-C       13.20       82         24 Copper       2.70       48-B       6.00       83         24 Non-rusting       2.10       48-L       5.85       84         25-B       4.35       49 Copper       5.40       202         25-L       4.35       49 Non-rusting       4.50       202         26       7.95       50-B Flemish Brass       5.85       203       1         27       7.50       50-C Flemish Brass       5.40       1078-L       1	14-L	6.00	42-S	17.25	73	2.85
18-L Copper     4.35     43-L     6.15     75       18-B Non-rusting     3.45     44-B     4.80     76       18-L Non-rusting     3.45     44-L     4.50     76       21-B     6.75     45-B     6.90     77       21-L     6.45     45-L     6.75     78       22-B Copper     4.65     46-B     9.60     79       22-L Copper     4.65     46-C     9.30     80       22-B Non-rusting     4.05     47-B     13.50     81       22-L Non-rusting     3.75     47-C     13.20     82       24 Copper     2.70     48-B     6.00     83       24 Non-rusting     2.10     48-L     5.85     84       25-B     4.35     49 Copper     5.40     202       25-L     4.35     49 Non-rusting     4.50     202       26     7.95     50-B Flemish Brass     5.85     1078-B       31-B     7.80     50-C Flemish Brass     5.40     1078-L       31-L     6.30     50-B Copper     5.55     1108-B     2       33     5.70     50-C Copper     5.55     1108-C     2	18-B Copper	4.35				
18-B Non-rusting     3.45     44-B     4.80     76       18-L Non-rusting     3.45     44-L     4.50     76       21-B     6.75     45-B     6.90     77       21-L     6.45     45-L     6.75     78       22-B Copper     4.65     46-B     9.60     79       22-L Copper     4.65     46-C     9.30     80       22-B Non-rusting     4.05     47-B     13.50     81       22-L Non-rusting     3.75     47-C     13.20     82       24 Copper     2.70     48-B     6.00     83       24 Non-rusting     2.10     48-L     5.85     84       25-B     4.35     49 Copper     5.40     202       25-L     4.35     49 Non-rusting     4.50     202       25-L     4.35     49 Non-rusting     4.50     203     1       26     7.95     50-B Flemish Brass     5.85     1078-B     1       31-B     7.80     50-L Flemish Brass     5.40     1078-L     1       31-L     6.30     50-B Copper     5.55     1108-B     2       33     5.70     50-C Copper     5.55     1108-C     2						
21-B     6.75       21-L     6.45       22-B Copper     4.65       22-L Copper     4.65       22-B Non-rusting     4.05       22-L Non-rusting     3.75       24 Copper     2.70       24 Non-rusting     2.10       25-B     4.35       25-B     4.35       26     7.95       50-B Flemish Brass     5.85       27     7.50       31-B     7.80       33     50-C Copper       50-C Copper     5.55       1108-C     2       22     2       23     5.70						
21-L       6.45       45-L       6.75       78         22-B Copper       4.65       46-B       9.60       79         22-L Copper       4.65       46-C       9.30       80         22-B Non-rusting       4.05       47-B       13.50       81         22-L Non-rusting       3.75       47-C       13.20       82         24 Copper       2.70       48-B       6.00       83         24 Non-rusting       2.10       48-L       5.85       84         25-B       4.35       49 Copper       5.40       202         25-L       4.35       49 Non-rusting       4.50       202         25-L       4.35       49 Non-rusting       4.50       202         25-L       50-B Flemish Brass       5.85       1078-B         27       7.50       50-C Flemish Brass       5.85       1078-B         31-B       7.80       50-L Flemish Brass       5.40       1078-L         31-L       6.30       50-B Copper       5.55       1108-B       2         33       5.70       50-C Copper       5.55       1108-C       2	18-L Non-rusting	3.45				
22-B Copper       4.65       46-B       9.60       79         22-L Copper       4.65       46-C       9.30       80         22-B Non-rusting       4.05       47-B       13.50       81         22-L Non-rusting       3.75       47-C       13.20       82         24 Copper       2.70       48-B       6.00       83         24 Non-rusting       2.10       48-L       5.85       84         25-B       4.35       49 Copper       5.40       202         25-L       4.35       49 Non-rusting       4.50       202         26       7.95       50-B Flemish Brass       5.85       203       1         27       7.50       50-C Flemish Brass       5.85       1078-B         31-B       7.80       50-L Flemish Brass       5.40       1078-L         31-L       6.30       50-B Copper       5.55       1108-B       2         33       5.70       50-C Copper       5.55       1108-C       2	21-B	6.75				
22-L Copper       4.65       46-C       9.30       80         22-B Non-rusting       4.05       47-B       13.50       81         22-L Non-rusting       3.75       47-C       13.20       82         24 Copper       2.70       48-B       6.00       83         24 Non-rusting       2.10       48-L       5.85       84         25-B       4.35       49 Copper       5.40       202         25-L       4.35       49 Non-rusting       4.50       202         26       7.95       50-B Flemish Brass       5.85       203       1         27       7.50       50-C Flemish Brass       5.85       1078-B       1         31-B       7.80       50-L Flemish Brass       5.40       1078-L       1         31-L       6.30       50-B Copper       5.55       1108-B       2         33       5.70       50-C Copper       5.55       1108-C       2	21-L	6.45			78	
22-B Non-rusting       4.05       47-B       13.50       81         22-L Non-rusting       3.75       47-C       13.20       82         24 Copper       2.70       48-B       6.00       83         24 Non-rusting       2.10       48-L       5.85       84         25-B       4.35       49 Copper       5.40       202         25-L       4.35       49 Non-rusting       4.50       202         26       7.95       50-B Flemish Brass       5.85       203       1         27       7.50       50-C Flemish Brass       5.85       1078-B       1         31-B       7.80       50-L Flemish Brass       5.40       1078-L       3         31-L       6.30       50-B Copper       5.55       1108-B       2         33       5.70       50-C Copper       5.55       1108-C       2	22-B Copper	4.65			79	5.55
22-L Non-rusting     3.75     47-C     13.20     82       24 Copper     2.70     48-B     6.00       24 Non-rusting     2.10     48-L     5.85       25-B     4.35     49 Copper     5.40       25-L     4.35     49 Non-rusting     4.50       26     7.95     50-B Flemish Brass     5.85       27     7.50     50-C Flemish Brass     5.85       31-B     7.80     50-L Flemish Brass     5.40       31-L     6.30     50-B Copper     5.55       33     5.70     50-C Copper     5.55					80	2.40
22-L Non-rusting     3.75     47-C     13.20     82       24 Copper     2.70     48-B     6.00     83       24 Non-rusting     2.10     48-L     5.85     84       25-B     4.35     49 Copper     5.40     202       25-L     4.35     49 Non-rusting     4.50     202       26     7.95     50-B Flemish Brass     5.85     203     1       27     7.50     50-C Flemish Brass     5.85     1078-B     1078-B       31-B     7.80     50-L Flemish Brass     5.40     1078-L     1078-L       31-L     6.30     50-B Copper     5.55     1108-B     2       33     5.70     50-C Copper     5.55     1108-C     2	22-B Non-rusting	4.05			81	4.05
24 Copper       2.70       48-B       6.00       83         24 Non-rusting       2.10       48-L       5.85       84         25-B       4.35       49 Copper       5.40       202         25-L       4.35       49 Non-rusting       4.50       202         26       7.95       50-B Flemish Brass       5.85       203       1         27       7.50       50-C Flemish Brass       5.85       1078-B       1078-L         31-B       7.80       50-L Flemish Brass       5.40       1078-L       1078-L         31-L       6.30       50-B Copper       5.55       1108-B       2         33       5.70       50-C Copper       5.55       1108-C       2	22-L Non-rusting	3.75				
24 Non-rusting     2.10       25-B     4.35       25-L     4.35       25-L     4.35       26     7.95       50-B Flemish Brass     5.85       27     7.50       31-B     7.80       50-L Flemish Brass     5.40       31-L     6.30       50-B Copper     5.55       31-B     5.70       50-C Copper     5.55       50-C Copper     5.55       50-C Copper     5.55	24 Copper	2.70				
25-B     4.35     4.35 Copper     5.40       25-L     4.35     49 Non-rusting     4.50       26     7.95     50-B Flemish Brass     5.85     203     1       27     7.50     50-C Flemish Brass     5.85     1078-B     1       31-B     7.80     50-L Flemish Brass     5.40     1078-L       31-L     6.30     50-B Copper     5.55     1108-B     2       33     5.70     50-C Copper     5.55     1108-C     2	24 Non-rusting	2.10				
25-L     4.35     49 Non-rusting     4.50       26     7.95     50-B Flemish Brass     5.85     203     1       27     7.50     50-C Flemish Brass     5.85     1078-B     1       31-B     7.80     50-L Flemish Brass     5.40     1078-L     1       31-L     6.30     50-B Copper     5.55     1108-B     2       33     5.70     50-C Copper     5.55     1108-C     2	25-B	4.35				
26     7.95     50-B Flemish Brass     5.85     203     1       27     7.50     50-C Flemish Brass     5.85     1078-B       31-B     7.80     50-L Flemish Brass     5.40     1078-L       31-L     6.30     50-B Copper     5.55     1108-B     2       33     5.70     50-C Copper     5.55     1108-C     2	25-L	4.35				
27       7.50       50-C Flemish Brass       5.85       1078-B         31-B       7.80       50-L Flemish Brass       5.40       1078-L         31-L       6.30       50-B Copper       5.55       1108-B       2         33       5.70       50-C Copper       5.55       1108-C       2	26	7.95				
31-B       7.80       50-L Flemish Brass       5.40       1078-L         31-L       6.30       50-B Copper       5.55       1108-B       2         33       5.70       50-C Copper       5.55       1108-C       2	27	7.50				
31-L 6.30 50-B Copper 5.55 1108-B 2 33 5.70 50-C Copper 5.55 1108-C 2	31-B	7.80				
0110	31-L	6.30				
	34-B	5.40				
34-C 5.25 51-B 5.40 2013-L	34-C	5.25				
34-L 5.10 51-L 4.80 3761	34-L	5.10	51-L	4.80	3761	6.90

The following numbers can be furnished with Underwriter's Labels at ten cents net each additional; 4-B, 5-B, 5-L, 6-B, 9-B, 9-L, 10-B, 14-L, 18-L, 25-B, 25-L, 31-L, 33, 34-B, 34-L, 35-L, 36, 37, 38-L, 39, 40-B, 40-L, 41-B, 42-B, 43-B, 43-L, 44-B, 44-L, 45-B, 45-L, 46-B, 47-B, 48-B, 48-L, 49, 50-B, 50-L, 51-B, 51-L, 64, 66, 67, 74, 75, 77, 78, 79, 84, 202, 203, 1078-B, 1078-L, 1108-B, 2013-B, 2013-L, 3761 and five cents net each additional on the following: 24, 57, 58, 60, 61, 68, 69, 71, 72, 73, 76, 80, 81, 82, 83.